
T 8S_ R6W. 2nd Mer.



Meander 438

Township No 8. South of Range No 6. W. 2nd Mer.

South		On Range line West side of Sec 6.
40.	00	A Qr Sec Post where a Beech 20 inl. diamr bears N. 10. E. 32. lks dist & a Beech 6 inl diamr bears S 7. W. 13. lks dist
41.	50	A Creek 40. lks. wide. Course W.
80.	00	Set Post Corner to Sec. 1. & 12. Twns S. R. 7. W. where a Beech 8. inl. diamr bears N. 60. E. 15. lks. dist & a Beech 16 inl diamr bears S. 60. W. 60. lks. dist The 1st half Beech & Oak Flats. The 2nd half of a Windfall.

South		Between Secs. 2. & 3. T. 8 S. R. 6. W
40.	00	Set a Qr Sec Post from which a Beech 6 inl diamr bears N. 68. W. 31. lks. dist & an S. Elm 5. inl diamr bears S. 75. E. 28. lks.
80.	00	Set Post Corner to Sec. 2. 3. 10. & 11. from which a Sugar 18 inl diamr bears S. 28. E. 9. lks. dist & a Sugar 8. inl. diamr bears N. 14. W. 9. lks. dist Good Beech & Oak Upland

South		Between Sec. 3. & 4. T. 8. S. R. 6. W.
40.	00	Set Qr Sec Post. from which a W. Oak 22. inl. diamr bears S. 40. E. 22. lks. dist & a Sugar 8. inl. diamr bears S. 42 W. 23 lks. dist.
80.	00	A Maple 24 inl diamr bears Corner to Sec. 3. 4. 9. & 10.

South		Between Sec. 4. & 5. T. 8. S. R. 6. W.
40.	00	Set Qr Sec. Post from which a W. Ash 8 inl diamr bears S. 1. W. 21. lks. dist & a W. Oak 14 inl. diamr bears N. 17. E. 8. lks. dist.
80.	00	Sec. Post, Corner to Sec. 4. 5. & 8. 9. T. 8. S. R. 6. W. & a W. Ash 8. inl diamr bears N 76. E. 23. lks. dist & a Gum 7. inl. diamr bears S 88. W. 23 lks dist Good, Oak, & Beech, Upland.

South		Between Sec. 5. & 6. Twn 8. South Range 6. West.
2.	50	A Run 10. lks. wide. Course S. 50. W.
28.	00	A Run .. " " runs W.
40.	00	Set a Post from which a W. Oak 16. inl diamr bears S. 15. W. 8. lks. dist & a Dogwood 5. inl. diamr bears N. 65. E. 21. lks. dist.
80.	00	A Post from which a Dogwood 6. inl. diamr bears South 11. lks. dist & a Do North 6. 6. lks. dist Land the same. Oct. 23rd 1805.

West		Between Sec. 6. & 7. T. 8. S. R. 6. W.

T. No 8. S. R. No. 6. W. 2nd. Mer.

40. 00 A W. Ock 13. inc. diam. for Qr. Sec. Corner.
69. 25 A Run 22. lks. wide, Course N 20. E.
98 77 Vist the Post on Range line. Land hilly. Timber, Bosch Ock, &c Sart half Brushy, Good Soil.

East Random Between Sec. 5. & 8. T. 8. S. R. 6. W.
40. 00 Set a Temporary Qr. Sec. Post.
79. 25 Intersects N. & S. line 1 ch. S. of the Post. A Part of the Land rather hilly & a Part. Flats.

East On Random line Between Sec. 4. & 9.
40. 00 A Temporary Qr. Sec. Post.
80. 00 Fell 95. lks. S. of the Post on the N. & S. line. gentle hills.

East Random line Between Sec. 3. & 10.
1. 50 A Creek 40. lks. wide, Course S.
40. 00 Temporary Qr. Sec. Post.
79. 00 1 chain N. of the Post. The 1st. half rolling hill Land The 2nd half Cane.

East Between Sec. 2. & 11. Town 8. S. R. 6. W.
5. 00 A Bayou 2 ch. N. & S.
16. 65 Ohio River. where a Sugar 10. inc. diam. bears S. 10. lks. dist.

South Between Sec. 10. & 11. T. 8. S. R. 6. W.
40. 00 A Qr. Sec. Post in a Bayou.
77. 00 Ohio River A Sugar 30. inc. diam. is Corner to Sec. 10. & 11. Cane Brake, Good Soil. Oct. 24th 1805.

West On true line between Sec. 3. & 10.
39. 20 A Post. from which an Elm 14. inc. diam. bears S. 17. W 36. lks. dist. & a W. Ock 20. inc. diam. bears N 51. E. 42. lks. dist.

South Between Sec. 9. & 10. T. 8. S. R. 6. W. 2nd Mer.
11. 00 A Creek 30. lks. wide. Course W.
40 00 Set a Qr. Sec. Post, from which a Hickory 16. inc. diam. is Corner tree & a Do 10. inc. diam. bears S. 1. E. 46. lks. dist.

T. N 8. S. R. N 6. W. 2nd Mer.

72. 00 A Swamp 110 lks. wide.
80. 00 Set a Post; from which a W. Oak 14 in. diam. bears S. 8. W. 11. lks. dist. & a Hickory 20 in. diam. bears N 75. E. 19. lks.

West On true line Between Sec. 4 & 9. T. 8. S. R. 6. W.
40. 00 Set a Qr. Sec. Post from which a Beech 10 in. diam. bears S. 1. E. 11. lks. dist. & a Beech 6 in. diam. bears S. 40. lks. dist.

South Between Sec. 8. & 9. T. 8. S. R. 6. W.
40. 00 A Red Bud 6 in. diam. is corner to Qr. Sec.
48. 00 Steep descent to a Bottom.
55. 00 A Swamp 7. chains wide E. & W.
74. 00 A Swamp 4. chains wide.
80. 00 A Sweet Gum 15. in. is corner to ~~Qr.~~ Sec. 8 9 16 & 17. The 1st half is good rich Land; 2nd half Beech & Oak Flats.

West On true line Between Sec. 5. & 8. T. 8. S. R. 6. W.
39. 62 A Qr. Sec. Pst. where an Elm 6 in. diam. is corner & an Elm 9. in. diam. bears S. 16. W. 17. lks. dist.

South Between Sec. 7. & 8. T. 8. S. R. 6 W.
40. 00 A Qr. Sec. Post from which a Sugar 13. in. diam. bears N. 2. W. 13. lks. dist. & a W. Oak 11. in. diam. bears S. 43. E. 20. lks. dist.
80. 00 Set Post corner to Sec. 7 & 8 & 17. & 18. from which a B. Gum 14 in. diam. bears N. 51. W. 25 lks. dist. & a Maple 13. in. diam. bears S. 77. E. 20. lks. dist. The 1st half hilly. 2nd is Beech & Oak Flats. all good soil. Oct. 25th 1805.

West On true line Between Sec. 7. & 18.
40. 00 Set a Qr. Sec Post from which a Poplar 48. in. diam. bears S. 75. W. 18. lks. dist. & an Ash 13. in. diam. bears N. 29. E. 42 lks. dist. Good Land lying on each sides a Swamp
~~95.~~ 00 A Swamp.
98. 30 To a Post.

East Random line Between Sec. 8. & 17. Town 8. S. R. 6. W.
40. 00 Set a Temporary Qr. Sec. Post.

T. No 8. S. R. No 6. W. 2nd Mer.

71. 00 A Swamp Drain 15. lks. wide
80. 00 Fell 20 lks. S. of the Post. very Swampy: Timber, Gum, &c

---

East On Random line Between Sec. 9. & 16.
1. 00 A Swamp. Offset & come to line at 8. chs. & 50. lks. dist.
40. 00 Set a Temporary Qr Sec. Post.
56. 00 A Swamp 59. lks. wide
80 00 Fell 5,00 lks to the S. of the Post. mistrusting the measure of the E. & S. line. & remeasured all & found it Correct. Corrected W. & found the Error in the 1st half mile; Error in Comps

---

East On a Random line Between Sec. 10 & 15. T. 8. S. R. 6. W.
11 50 A Swamp 115. lks. wide.
25 00 A Swamp 300. lks. wide.
40. 00 An Ash 5. inl. diamr. for Qr Sec. Corner.
66. 50 A Swamp
79. 50 The Ohio River. Set the Post, where a Sugar 18. inl. diamr. bears S. 4. W. 24 lks. dist & a Sycamore 6. inl. diamr. bears N. 16. E. 10. lks. dist

---

South Between Sec. 15. & 16. T. 8. S. R. 6. W.
40. 00 Set a Qr Sec. Post. where a W. Oak 13. inl. diamr. bears S. 87. W. 31. lks. dist & an Ash 15. inl. diamr. bears S. 80. E. 19. lks. dist. Swampy
80. 00 Set Post & Corner to Sec. 15. 16. 21. & 22. from which a Sugar 12. inl. diamr. bears N. 40. W. 17. lks. dist & a Sugar 20 inl. diamr. bears S. 3. W. 40. lks. dist

---

West On true line Between Sec. 9 & 16. T. 8. S. R. 6. W.
40. 00 Set a Qr Sec. Post. from which a Hickory 14. inl. diamr. bears S. 67. E. 20. lks. dist & an Elm 15. inl. bears N. 78. W. 32 lks. dist

---

South Between Sec. 16 & 17. T. 8. S. R. 6. W.
6. 00 A Swamp. 6. chs. E. & W.
40. 00 A Red Oak 10. inl. diamr. for Qr Sec. Corner
80. 00 Set Post & Corner to Sec. 15. 16. 20. & 21. where a Ash 18 inl. in diamr. bears S. 14 E. 35. lks. dist & a W. Oak 10. inl. diamr. bears S. 46. W. 70. lks. dist. Swampy Mixt. Beech & Oak Timber.

T. 4 N. R. 6 W. 2nd Mer.

West — On true line Between Sec.s 8 & 17. T. 8 S. R. 6 W.

40. 00 — Set a Qr. Sec. Post from which an Ash 4 in.s diam.r bears North 11 lks. dist. & an Ash 6 in.s diam.r. bears S. 4 E. 40 lks. dist.

South — Between Sec.s 17 & 18.

16. 25 — A Pond; Offset. E. & came to the line at 28 ch.s & 75 lks.

40. 00 — Set a Qr. Sec. Post from which a Sugar 12 in.s in diam.r bears N. 5. W. 21 lks. dist. & a Red Bud 4 in.s bears S. 5. E 10 lks. dist.

69. 25 — A Creek 80 lks. wide, Course W.

80. 00 — Set Post & Corner to Sec.s 17 18. 19 & 20. from which a W. Oak 26 in.s diam.r bears N 87. W 13 lks. dist. & a W. Oak 8 in.s diam.r bears N. 67. E. 25 lks dist. Swampy Flats. Gum, Elm, Oak, Hickory.

West — Between Sec.s 18 & 19. T. 8 S. R. 6. W.

40. 00 — Set a Qr. Sec. Post on a Beech 7 in.s diam.r for Corner.

63. 50 — A Creek 40 lks. wide: Course S. 70. E.

98 50 — Hit the Post on Range line; Swampy flats. & Gum Elm Oak & Hickory timber.

East — Random line Between Sec.s 17 & 20.

40. 00 — A Temporary Qr. Sec. Post.

79. 50 — Fell 21 lks. S. of the Post. Corner to Sec.s 16. 17. 20. & 21. Very Swampy bad Land. Sweet Gum. Timber.

East — Random line Between Sec.s 16 & 21.

40. 00 — A Temporary Qr. Sec. Post.

41. 00 — A Swamp. 2 chains wide — Swampy.

78. 50 — Hit Post Corner to Sec.s 15. 16. 21 & 22. Covered with cane &c.

East — Between Sec.s 15 & 22. T. 8. S. R. 6. W. Oct. 27th 1805.

6. 50 — A Swamp 2 ch.s wide.

19. 00 — A Swamp 3. chains wide.

40. 00 — A Sugar 7. in.s diam.r for Qr. Sec. Corner.

43. 68 — Ohio River. Set Post Corner to Sec.s 15. & 22. opposite the upper Point of a Island, where a Sugar 13 in.s diam.r bears S. 71. W. 14 lks. dist. & a Sugar 11 in.s diam.r bears N. 27. W. 11. lks. dist. Swampy, flat. Cane &c. The above Island is very Small & not more

T. No 8. S. R. No 6. W. 2nd. Mer.

Thence 6. mls. offsetts 6. feet wide. between it & the N. W. shore of the Ohio

---

South — Between Secs. 21 & 22. T. 8. S. R. 6 W.

40 00 Set a Qr Sec. Post. from which Ash 24 ins. diam. bears N 67 W 21 lks. dist & a Hickory 7. ins. bears N 39. E 15. lks dist. Bottom Land. with Cane.

50 00 Set Post Corner to Secs. 21. 22. 27 & 28. where an Ash 8. ins. diam. bears N 28. W 16 lks. dist & a Hickory 7. ins. diam. bears S 7. W. 18. lks. dist.

West — On true line Between Secs. 16 & 21.

39. 25 A Qr Sec. Post in a Swamp

South — Between Secs. 20 & 21. T. 8. S. R. 6. W.

31. 00 A Swamp 4. chains. wide. E & W.

40. 00 A Hickory 6 ins. diam. for Qr Sec. Corner.

56. 00 A Swamp 8. Mls. wide. E & W.

77. 00 A Swamp 6 chains wide. E & W.

80. 00 A Post in a Swamp. almost impossible. to Survey on the account. of Ponds. Swamps. flats. &c.

West — Between Secs. 17 & 20. Town 8. South Range, 6. W.

37. 00 A Swamp. 5. chains wide. E & W.

40. 00 In a Swamp.

58. 00 A Swamp 2. chains wide.

76. 00 A Swamp.

80. 00 In the same — the Swamp 8. chains. wide E & W. Cane Brakes. Swampy Flats.

West — Between Secs. 19 & 30. T. 8. S. R. 6. W.

40. 00 Set a Qr Sec. Post in a Swamp

98. 76 Fell. 60. lks. S. of the Post. Set Post. Corner to Secs. 19 & 30. where a W. Locust. 30. ins. diam. bears S. 14. E. 35. lks. dist & a Hackberry 7. ins. diam. bears N. 8. E. 40 lks. dist.

East — Random line Between Secs. 20 & 29.

40 00. A Qr Sec. Post in a Swamp. all the way Swamp.

80. 00 could not determine the Place of Sec. Post it being in a Swamp

Oct. 28th 1805.

T. No 8. S. R. No 6. W. 2nd Ser.

East — Random line Between Sec. 21. & 28.
40. 00 Set A Temporary Qr. Sec. Post.
80. 00 Fell 27. lks. N. of the Post. on the N. & S. Line — Sand the same

---

East — Between Sec. 22. & 27.
17. 00 The Ohio river opposite the upper Point of an Island Set a Post Corner to Sec. 22. & 27. from which a Maple 23. inc. diam. bears S. 38. E. 38. lks. dist. & a Hackelberry 7. inc. diam. bears N. 25. E. 25 lks. dist. The above line Struck the Ohio. nearly a 1/4 mile above the Point of the Lower Island. & nearly the same distance below the Lower Point of the Upper Island. The Beaches of the two Islands join except about 10. lks. of water. The Islands are not more than 6. chains from the N. W. shore of the Ohio.

South — Between Sec. 27. & 28. T. 8. S. R. 6. W.
18. 41 Set Post Corner of Sec. 27. & 28. on Bank Ohio from which a Sycamore 17. inc. diam. bears N. 45. E. 15. lks. dist. & a Hop Ash 7. inc. diam. bears N. 65. W. 15. lks. dist. Thick Cane.

West — Between Sec. 21. & 28. T. 8. S. R. 6. W.
40. 00 A. Hickory 5. inc. diam. is Corner to Qr. Sec.
50. 00 A Swamp that Reaches to the Post.

South — Between Sec. 28. & 29.
12. 00 A Swamp 2 chains. wide; E. & W.
24. 00 A Swamp. 2. chains wide. E. & W.
40. 00 Set a Qr. Sec. Post from which an Ash 11 inc. diam. bears North 11. lks. dist. & an Ash 11. inc. diam. bears S. 46. E. lks. dist. Swamps & Cane.
67. 67 Ohio river where a Sycamore 45. inc. diam. is Corner tree. Bottom. Cane Brake.

West — Between Sec. 20. & 29. T. 8. S. R. 6. W.
Set a Qr. Sec. Post in a Swamp. Oct. 29th 1805.

South — Between Secs. 29. & 30
9. 50 A Swamp 12. chains wide. Course E. & W.
40. 00 A W. Ash 11. inc. in diam. for Qr. Sec. Corner.

T. N. & S. R. No 6. W. 2nd Mer.

80. 00 A Hickory 10. in. diam. bears Corner to Sec. 29. 30. 31. 32. Bottom Land. very thick Cane. Good soil. Sugar Ash &c. &c.

West Between Sec. 30 & 31 T. 8. S. R. 6. W.

40. 00 Set a Qr. Sec. Post. where an Elm 8 in. diam. bears N. 16 lks.

55. 75 Ohio River; where a Hickory 9 in. diam. is Corner to Sec. 30 & 31. Thick Cane & good Bottom.

South Between Sec. 31 & 32.

11. 75 Ohio river at the lower end of an Island; Set Post Cor. to Sec. 31 & 32. from which a Sycamore 36 in. diam. bears S. E. 4 lks. dist no other near Bottom Cane.

East Between Sec. 29 & 32. T. 8. S. R. 6 W.

40. 00 Set a Qr. Sec. Post. from which an Elm 14 in. diam. bears N. 80. W. 37. lks. dist & a Hackberry 30. in. in diam. bears S. 60. E. 32. lks. dist.

47. 33 Ohio. River; where a Hackberry 13. in. diam. is Corner. Good Bottom Land. Cane. &c.

N. [illegible] Meandered S. from the Post. Corner to Sec. 19 & 30. at 39. chains & 30. lks. Set a Qr. Sec Post & Corner to Sec. 30. T. 8. S. R. 6. W. & 25. T. 8. S. R. 7. Found the Ohio to be 42 chains & 92. lks. dist. * N. 51. E. 50 Ohio. Pecan & Post.

Meanders of the Ohio River in Town 8. S. R. 6. W.

Course Dist. Commenced at the S. W. Corner of Sec. 30.

S. 32 E. 11. 50

S. 50. E 11. 90

S. 55. E 15. 28

S. 70. E 9. 91 Post Corner to Sec. 30 & 31.

S. 62. E 4. 10

S. 61. E 22. 17

N. 89. E 37. 30 Corner to Sec. 31 & 32.

N. 86. E 21. 32 The lower end of an Island.

N. 74 E 32. 00 Corner to Sec. 29 & 32.

N. 73. E 10. 50

T. No 8. S. R. No 6. W. 2nd Mer.

N. 73. E	15. 00	
N. 65. E	3. 50	Corner to Sec. 26. & 29.
N. 64 E	16. 60	
N. 59. E	9. 46	
N. 52. E	16. 29	
N. 48. E	19. 11	
N. 55. E	17. 14	
N 51. E	8. 00	Corner to Sec. 27. & 28.
N 51. E	8. 38	
N 45. E.	21 50	The Upper Part of a Island.
N 39. E	16. 00	Corner to Sec 22. & 27.
N 35. E	38, 80	
N. 19. E	41. 36	Corner to Sec 15. & 22.
N 14. E	23. 25	
N. 22. E	18. 28	
N. 19. E	14. 50	
N. 13. E	31. 50	Corner to Sec. 10. & 15.
N 12. E	3. 20	Corner to Sec. 10. & 11.
N 16. E	36. 75	
N. 8. E	35. 00	
N. 5 E	6. 90	Corner to Sec 2. & 11.
N. 14. E	5. 00	
N. 8. E	46. 00	
N. 13. E	29. 11	Corner to Sec. 2. T. 8. S. & 35. T. 7. S.

Meanders of T. 7. South Range 6. West.

N 19. E	30. 65	
N. 17. E	13. 00	
N 14. E	7. 70	
N. 12. E	25 38	
N. 4. E	5. 35	Corner to Sec. 26. & 35.
North	13, 69	
N. 6. W	12. 00	The mouth of a Creek; gravel water
N. 6. W	9, 82	
N. 13. W	23. 00	A ledge of Rocks extending down the River for 5. chains 60. feet high.
N. 13. W	5. 28	

T. N. 7 S. R. N. 6. W. 2nd Mer.

N 58. W	4. 15	
N 15 W	8. 20	
N. 5. W	12. 71	
N 7. E	18. 40	
N. 32. E	26. 54	
N. 34 E	25. 06	
N. 29. E	2. 50	Corner to Sec. 11 & 23.
N 52. E	2. 80	
N 42. E	32. 00	A 24 Inch. & 14 Lks. Corner to Sec. 13. & 14.
N. 51. E	30. 54	
N 55. E	33, 83	
N 55. E	10. 00	
N 53. E	11. 00	
N 55. E	3. 90	Corner to Sec. 13. on E. Range line. Oct. 30th 1805. Measured the Ohio at the S. W. Corner of Sec. 13. in T. 7. N. 6. W. & found it to be 39. Ch. & 56. Lks wide. & at the S. E. Corner of the same 44. Ch. & 09. Lks. wide

Surveyed by Augustus Stone, D. S.

I certify that the foregoing transcript of field notes of Township No. 8 South, of Range No. 6 W. 2d. Mer. Indiana, has been compared with the original notes in this office, and found to be correct.

Surveyor General's Office
Cincinnati, Oct. 1st. 1839

S. S. Haines Surv. Gen.